

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Chad Nelson et al. Art Unit : 3749
Serial No. : 10/809,286 Examiner : Gregory A. Wilson
Filed : March 25, 2004 Conf. No. : 6038
Title : AIR RETURN BULKHEAD WITH QUICK RELEASE MOUNTING SYSTEM

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER REGARDING PATENT TERM ADJUSTMENT

The Patent Term Adjustment (PTA) calculation included in the Notice of Allowance mailed October 12, 2007, for the above-referenced application indicates the PTA is 0 days.

While this total PTA calculation appears to be accurate at the time of allowance, Applicants note, in good faith and candor, that the calculation of Applicant Delay (shown as 140 days in PAIR) may in fact be too low. In particular, Applicants point to the responses filed in March 2007 and July 2007 whose receipt dates appear to be entered incorrectly in PAIR.

Applicants expect that, at issuance, additional PTO Delay will be included in the calculation, as the application has been pending for more than 3 years. When that additional PTA is added at issuance, the net PTA calculation will no longer be 0 and more PTA than is due will be accorded if the current calculation is not corrected.

Applicants believe that no fee is due at this time. Any fees that may be due, however, may be applied to Deposit Account No. 06-1050.

Respectfully submitted,

Date: January 11, 2008



Michael T. Hawkins
Reg. No. 57,867

Fish & Richardson P.C.
60 South Sixth Street
Suite 3300
Minneapolis, MN 55402
Telephone: (612) 335-5070
Facsimile: (612) 288-9696